Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62,23

CHOICE WILD PLANTS

-15.75

Collected From Their Native Haunts By

HOPEDALE NURSERIES,

J. W. Griesemer, Prop.

Our collectors cover practically the whole country. We can secure almost any native plant, if given time to locate it.

This revision of our list was made nearly a year ago. Circumstances prevented getting the necessary checking over, additions and omissions made, till now. Our former list is entirely exhausted, we were forced to take the time to do it now. We hope that it meets with your approval.

So far as possible, we have followed the "Standardized Plant Names" in our nomenclature. This will save confusion on the many names formerly used, since Standard Plant Names is the product of A. A. N. Am. Hort. Society, and practically all medicinal and governmental departments having to do with Plants. It is far more authentic than any of the many former names applied to the same plant.

We have dropped some items parasitic, and not readily transplanted; some too scarce to secure with any degree of certainty, and a few proving to be annuals. We have added many new sorts not formerly listed by us.

TERMS.

5 at 10 rates; 50 at 100 rates, 500 at 1,000 rates. If you want thousands or a large lot of this material, it is best to send your want list for our special quotations. If wanted

out of season, requiring crating of tops, or other expense, the cost of doing this will be added.

10 days to regular customers.

30 days to dealers, nurserymen and landscapists.

Nurserymen and bona fide dealers are entitled to special prices. Send your list of wants for quotations. Landscapists or Gardners, Superintendents etc., get their pay from their clients, and are not entitled to special prices, other than quantity discounts. This is only business ethics, and standard.

> Packing done free, at prices herein, except as mentioned above.

> Complaints must be made at once. We cannot allow claims after delay that might allow stock to Please report shortage, or any otehr complaint at once that it may be adjusted.

> > All Prices f. o. b. here, or at point of collection. Larger lots are usually sent out directly from collecting point. Saves time and cost of delivery. We Guarantee stock to be in good order when sent out, and up to grade. If anything reaching you from any of our collectors in Not Right, please notify us at once. We want to make good.

Nearly all plants go out when collected, which is usually the Best time to plant them. Send Orders Early to allow us to get scarce plants located, and collected at the best time to do it. We each profit by this. Many failures so secure plants could be avoided if we had the orders in time. Sud-





Helianthus



Vinca

den droughts, floods, frosts, excessive heat, etc., cause plants to disappear—often next to impossible to collect. Collectors are lovers of plants, but too often no business people at all! Often they are not to blame, per above. We mention this that you can bear with our disappointments better. We have them, tho we try hard to fill all orders.

MISTAKES: We make them, so do our collectors. We want to correct them, if reported at once. They are easily found then, usually. Later they are not. REPORT MISTAKES AT ONCE.

SEEDS: We are often asked to get these. Usually we can do this, if ordered BEFORE they ripen—such sorts and seasons as produce seeds but do not store them. ORDER EARLY.

DONT FORGET that our principal business is the Nursery. If interested in nursery grown stock, ask for our literature on that, or send list of items wanted.

We are members American Association Nurserymen, Ill. State Nurserymen's Assn., Am. Propagators Assn., Ill. State Hort. Society and other allied associations. This ought to be reference enough. If you want more, Hopedale National Bank, Peoria branch either Dunn's or Bradstreet's can tell you whether we are reliable and respon-

sible or not. Likely you can be referred to a neighbor who has had dealings with us. We are not afraid of investigation. Look us up.

OUR BUSINESS IN WILD PLANTS HAS GROWN BEYOND ALL EXPECTATIONS. "There's a reason."

Yours to serve, J. W. GRIESEMER, Prop.

EXPLANATION

To aid planters as much as possible in their selections, we have listed plants in 1st botanical name—the only reliable one, since common names vary with each community, 2nd, the best known common name. 3rd column, where they grow in nature, 4th, Color of blossom; 5th, when they bloom. The column at right of price columns tells where we usually secure our stock. H or Here, indicates that stock is secured here. I-Indiana; M-Mich; N. D.-North Dakota; Col.-Colorado; N. Y. and N. H., Vt. etc. are standard and need no explanation. For Example: N. C. H. & M. indicates we secure this item from North Carolina, Here and Mich. A few items are listed at different prices from different locations. Usually the higher prices are cheaper, especially for northern growers.



A border of Phlox

PERENNIALS

Botanical name Common name Where it Color of Time of Grows Flower Bloom	Each	10	100	Where Native
Achillea millefolium, Yarrow, sun-sods, white, June-July	.10	\$.50	\$2.50	$_{ m Here}$
Acorus calamus, Sweet Flag, bogs, yellow, June	.15	.60	3.00	Here
Actaea alba, White Baneberry, shades-ravines, white, May	.20	.80	6.00	H&M
Actaea rubra, Red Baneberry, shades-ravines, white, May-June	.25	1.00	7.50	M&SD
Allium canadense, Wild Meadow Garlic, damp ground, white, July	.10	.50	2.50	Here
Allium cernuum, Nodding Wild Onion, damp shade, pink, June-July	.15	.60	5.00 7.50	Here Here
Allium tricoccum, Wild or Wood Leek, open shade, white, June Amorpha canescens, Lead Plant, open sun, violet, July	.20	1.00 1.00	7.00	Here
Anemone canadensis (pennsylvanica). White Anemone, open sun, May-July	.15	.60	5.00	Here
Anemone cylindrica. Thimble Weed, sun or shade, white, July-Aug	.15	.75	5.00	H&I
Anemone quinquefolia, Wood Anemone, part shade. May-June	.10	.50	4.50	Ind.
Anemonella thalictroides, Rue Anemone, woods, white, April. June	.15	.75	5.00	ні&м
Aplectrum hyemale, Putty Root, rich shade, yellow-purple. June	.25	2.00	15.00	H&I
Aquilegia canadensis, Wild Columbine, anywhere, vellow-red, May-July	.15	.60	4.00	HI&M
2 Yr. plants	.20	1.00	6.00	
XX Plants	.25	1.50	10.00	TTT 0 3 F
Aralia racemosa, Spikenard, ravines, white, June	.20	1.25	10.00	HI&M
purple, May	.15	.65	5.00	Here
Arisaema triphyllum, Indian Turnip, open woods. green purple, May	.10	.50	4.00	Here Here
Aristolochia serpentaria, Virginia Snakeroot, open shade	.20	1.25 $.75$	9.00 4.00	Here
Artemisia serrata. Dusty Miller. sun. greenish-white. AugOct	.10	.50	4.00	Here
Ascelepias incarnata, Swamp Milkweed, open flats, pink-lilac, July-Sept.	.20	1.00	7.00	Here
Asclepias rubra, Red Milkweed, open sun, red, July	.20	1.25	7.50	H&I
Ascelepias tuberosa, Butterfly Weed, sun-sod, yellow-red, July-Sept	.25	1.50	8.00	Here
Ascelepias verticillata, Whorled Milkweed, sun-sods, white, July-Aug	.10	.50	3.50	Here
Asclepias. assorted, sun-sods, Aug. Sept.		.60	4.50	Here
Aster, assorted, sun-sods, AugSept.		.50	4.00	$_{ m Here}$
Aster, novae angliae. New England Aster. sun-sod, purple, July-Sept	.15	1.00	7.00	Here
Aster sagittifolius, Arrow Leaved Aster, sun-sod, blue, Sept. Oct	.15	.50	4.00	$_{ m Here}$
Aster, separate colors, July, November	.15	.50	4.50	Here
Baptisia australis, Blue False Indigo, open sun, June-July	.20	1.50		Here
Baptisia bracteata, Bracted False Indigo, open-sun, yellow, May-June	.20	1.50	10.00	Here
Baptisia leucantha, Delicate White False Indigo. sun-sod, July	.20	1.25	8.00 8.00	Here NC
Baptisia tinctoria, Yellow wild False Indigo, open borders, June-Sept	.20	1.25	8.00	-16
Callirhoe triangulata. Clustered Poppy, mallow, dry, sandy soil, purple. August, Sept.	.15	1.00	7.00	Here
Caltha palustris, Marsh Margold, bogs, yellow, April, May 1 to 3 plant clumps	.20	1.00	5.00	Mich.
to 6 plant clumps	.25	2.00	10.00	111(11)
Camassia quamash, Wild Hyacinth, rich, open shade, light blue, April-May	.20	1.50	12.50	Here
Campanula rotundifolia, Harebell, anywhere, blue, July-Oct	.15	1.00	7.00	W.M&I
Carex plantagines. Plaintain Leaved Carex, rich shade, purple, April, May	.15	.60	4 00	Here
Caulophyllum talictroides, blue cohosh, ravines, white, May	.20	1.00	6.00	H&M
Chelone glabra. Turtle Head, wet places, white-purple, July-Sept	.15	.80	7.00	H&XC
Chimaphila umbellata. Prince's Pine, dry woods, white-pink, June-Aug Chrysanthemum leucanthemum, Oxeye Daisy, anywhere, sun, white	.15	1.00	5.00	Mich.
August-October	.10	.50	4.00	Here
Cimcifuga, racemosa, Black, Cohosh, open shade, white, June-July	.20	1.50	8.00	NC
Claytonia virginica, Spring Beauty, open shade, purple. April-June	.10	.50 .75	3.50	Here NC.M&I
Clintonia borealis, Yellow Clintonia, shade, yellow, May-June	.15 .10	.50	3.00	Here
Convallaria majalis, Lily of the Valley, part shade, white, May-June	.15	.60	5.00	Here
Cypripedium acaule, Brown Ladyslipper, upland. May	.20	1.50		LXC&VT
Cypripedium parviflorum, small yellow lady slippers, bogs, May-July	.20	1.60	11.00	Mich.
Cypripedium pubescens, large yellow Ladyslippers, upland hills, May	.20	1.60	12.00	Mich.
Cypripedium spectabile, Showy Ladyslipper, bogs, pink. May All Cypripediums are sold by the flowering Bud. If plants are wanted instead of buds, be sure to state so. You will be billed by	.25	2.00	15.00	Mich.
the number of flowering buds they contain.				

Botanical name Common name Where it Color of Time of Grows Flower Bloom	Each	10	100	Where Native
Delphinium tricorne, Dwarf Larkspur, sun-shade, dark blue, May-June	.10	.60	5.00	H&I
Dicentra canadensis, Squirrel Corn, shade, pinkish white, April-May	.10	.40	3.50	H&M
Dicentra cucullaria, Dutchman Breeches, deep shade, white, April-May	.15	.50	4.00	Here
Dicentra eximia, Wild Bleeding Heart, Rocky places, pink, May-Sept	.20	1.00		NC
Dodecatheon meadia, Shooting Star, sun-sod, pink, May-June	.15	.75	6.00	H&I
Echinacea angustifolia, Purple Cone Flower, dry gravelly, purple, June	.15	1.00	6.00	Here
Echinacea purpurea, Garden Purple Cone Flower, rich soil, purple-crimson,	.10	1.00	0.00	11010
June to Frost	.15	1.00	7.00	$_{ m Here}$
Epipactis tesselata, Rattle Snake Plantain, dry shade, greenish white,	4.5	1.00		T . 1
July, August	.15 $.10$	1.00 .60	4.50	Ind. Here
Erigenia bulbosa, Harbinger of Spring, shade, pink-white, April-May	.10	.75	6.00	H&I
Eryngium aquaticum (yaccaefolium) Button Snake Root, sun-sod,	.15	.60	5.00	Here
white, July Erythronium albidum, White Adder's Tongue Violet, shade, April-May	.10	.75	6.50	Here
Erythronium americanum, Yellow Adders Tongue Violet, shade, April-May	.10	.75	6.50	Mich.
Eupatorium coelestinum, Mist Flower, anywhere, blue-purple, July-Sept Eupatorium maculatum, Spotted Joe Pye Weed, moist places, sun, pink-	.15	1.00	6.50	H&I
purple, August-Sept.	.25	1.25	10.00	$_{ m Here}$
Eupatorium perfoliatum, Boneset, wet places, White, July	.15	.75	6.00	$_{ m Here}$
Eupatorium purpureum, Joe Pye Weed, open shade, purple, July-Sept Eupatorium urticaefolium, White Snake Root, open shade, fine	.20	1.00	7.50	\mathbf{Here}
white, SeptNov.	.10	.75	5.00	\mathbf{Here}
Euphorbia corollata, Flowering Spurge, open sun, white, July-Sept	.15	.80	7.00	$_{ m Here}$
Euphorbia cyparissias, Cyprus Spurge, sun, yellow, June	.10	.40	3.00	Here
June-July	.15	1.00	6.50	$_{ m Here}$
Gentian andrewsii, Closed Gentian, damp, sun, Blue-Pink, AugOct	.15	.75	6.00M	.Vt&NY
Gentian, Prairie Gentian, open sun, blue, Aug. Sept.	.20	1.25	5 00	Here
Geranium maculatum, Crane's bill, anywhere, pink, May-June Helianthus, assorted, sun-sod, yellow, JulNov	.10 $.15$	$\frac{.60}{1.00}$	$\frac{5.00}{7.00}$	$_{ m Here}$
Helianthus giganteus, Tall Sun Flower, sun-sod, yellow, SeptOct	.15	1.00	7.50	Here
Helianthus mollis, Hairy Sun Flower, sun-sod, yellow, July-Sept	.15	1.25	. 8.00	Here
Helianthus tuberosa, Artichoke, waste, sunny places, yellow, AugOct. Hepatica acutiloba (Evergreen) deep shade, pink, April-May	.15	.75	5.00	$_{ m Here}$
1 to 2 plant clumps	.15	.40	1.75	Here
3 to 4 plant clumps	.20	.80	3.50	Here
5 to 6 plant clumps	.30	1.50	10.00	$_{ m Here}$
7 to 10 plant clumps	.40	2.00	15.00	$\operatorname{Here}_{\cdot}$
Hieracium aurantiacum, Orange or Tawny Hawk Weed, waste places, Orange-red, June Sept.	.20	1.50	8.00	Mich.
Hieracium floribundum-Yellow Hawk Weed, open dry woods,				
yellow, June-August	.15	1.00	6.00	Here
Houstonia caerulea, Bluets, open woods, blue, May	.10 $.15$.75 1.00	5.00 v 5.00	t.&Mich Here
Hypericum cistifolium, Round Podded St. John's Wort, sun, yellow,				
July-August	.10	.60	$\frac{4.00}{6.00}$	Here NC
Iris cristata, Crested Iris, some shade, blue, April-May	.15 $.15$	$\frac{1.00}{1.25}$	10.00	Mich.
Iris, German, 7 colors	.15	1.00	5.00	Nur.
Iris, Japanese, Mixed, June-July		2.00	0.00	Nur.
Iris pumila, Dwarf Blue Iris, borders, sun, April-May	.10	.60	4.50	Nur.
Iris sibirica (or Spanish), blue or white, May	.15	1.00	6.00	NC
Iris verna, Dwarf Iris, hillside, shade, violet-blue, April-May	.15	1.00	6.00	_NC
Iris versicolor, open lowlands, blue, May	.15	.75	4.50	Here
Isopyrum biternatum, False Rue Anemone, open woods, White, April-May	.10	$\frac{.50}{1.00}$	3.50	\mathbf{Here} \mathbf{Ind} .
Jeffersonia diphylla, Twin Leaf, rich shade, white, May-June Krigia virginica, Cynthia, open woods, yellow, June-July	.15 $.15$	1.00 1.00	$8.00 \\ 7.00$	H&I
Lepachys pinnata, Gray Headed Cone Flower, yellow rays, sunny road-	.10	1.00	1.00	11601
sides, June-September	.15	1.00	6.00	\mathbf{Here}
Lespedeza frutescens, Bush Clover, dry soil, pinkish purple, AugSept.	.15	1.00	7.00	H&I
Lespedeza procumbens, Trailing Bush Clover, dry soil, pinkish purple,				
August-September	.15	.85	6.50	Here
Liatris scairosa, Button Blazing Star, sun, dry, purple, July-Sept	.10	.75	5.00	Here

Botanical name Common name Where it Color of Time of Grows Flower Bloom	Each	10	100	Where Native
Liatris spicata, Blazing Star, open sun-moist, purple, July-August	.15	.80	6.00	Here
Lilium philadelphicum, Wood or Wild Red Lily, open shade, red-yellow, June	.15	1.10	8.00	Mich.
Lilium superbum, Turks Cap Lily, meadows, yellow, June-July	.20	1.75	12.00	H.0&M
Lithospermum canescens, Puccoon, open sun, yellow, May-June	.15	.80	6.00	$_{ m Here}$
Lithospermum carolinense Hairy Puccoon, open sun, yellow, May-June	.15	.75	6.00	H&I
Lobelia cardinalis, Cardinal Flower, moist, rich soil, cardinal July-Sept.	.10	.75	6.00	MNC&H
Lobelia siphilitica, Great Blue Lobelia, moist soil, blue, July-Oct	.10	.75	5.00	$_{ m Here}$
Lycopus americanus, Water Horehound, low grounds, green-white, July-Oct. Maianthemum bifolium, Two eaved Solomon's Seal, open shade, white,	.15	.60	4.00	Ind.
May-June Marrubium vulgare, Horehound, waste places, white, June-Aug.	.15 .15	.75 .60	$\frac{6.00}{4.00}$	Ind. Here
Medeola virginica, Indian Cucumber Root, rich, damp woods, green-yellow, September	.10	.50	4.00	Mich.
Melanthium virginicum, Bunch Flower, sun-sod, white, July	.15	.80	6.50	Here
Mentha piperita, Peppermint, low, rich soil, Wh., Ma.,	.15	.50	3.00	Here
Mentha spicata, Spearmint, low, rich soil, Wh. May (Ask for prices on large lots for Commercial plantings). Mertensia virginica, Blue Bells, open shade,	.15	.50	3.00	Ind.
	All so	old for	1927	\mathbf{Here}
Firsts	.15	1.00	6.00	\mathbf{Here}
Seconds	.10	.50	3.00	$_{ m Here}$
(Ask for prices in large lots)	0.7	9.00	17.50	Hono
Mertensia virginica, Pink Blue Bells, open shade, April-May	.25 .40	$\frac{2.00}{3.00}$	17.50	Here Here
Monarda didyma, Oswega Tea, moist places, red, July-Sept	.15	.80	6.00	Nur.
Monarda fistulosa, Pink Horsemint, sun-sod, pink, July-Sept.	.15	.60	4.00	Here
Nepeta cataria, Catnip (biennial) anywhere, white, June on	.10	.40	3.00	Here
Nymphaea odorata, Sweet Scented Water Lily, yellow, July Sept Oenothera biennis, Common Evening Primrose, (biennial) 1 yr., yellow	.30	1.75	12.00	H&M
June Sept.	.15	.50	4.00	H&M
Oenothera speciosa, Showy Evening Primrose, sun, white, pink, May-Aug.	.15	.75	5.00	Here
Oxalis violacea, Violet Sheep Sorrel, sun-sod, violet, May	.10	.50 $.80$	4.00	Here a.NC.&H
Panax quinquefolium, Ginseng, rich shade white, May-June Parnassia caroliniana, Grass of Parnassus, white, June-Sept	.15 .10	.60	5.00	Mich.
Pedicularis canadensis, Wood Betony, open shade, yellow, May	.20	1.50	10.00	Here
Pentstemon hirsutus, Hairy Beards Tongue, sun-sod, pink-white, June-July	.10	.75	6.00	Ind.
Pentstemon laevigatus, Smooth Beards Tongue, sun-sod, white, June-July Petalostemum candidum, White Prairie Clover, sun-sod, July-Aug	.15 $.15$	1.00 .75	6.00	Here Here
Petalostemum villosum, Purple Prairie Clover, sun-sod, July-Aug	.15	.75	6.00	Here
Phlox divaricata, Sweet William, open woods, lilac or blue, May-June				Here
Phlox glaberrima, Wild Pink Phlox, prairies, June-July				Here
Phlox paniculata, Garden Phlox, lavender, July-Sept.				Here
Phlox pilosa, Prairia Phlox, red, May-June Either of the above plants of 1 stem	.10	.30	2.00	\mathbf{Here}
Either of the above plants of 2 to 4 stems	.10	.75	5.00	
Either of the above plants of 5 to 6 stems.	.15	1.25	7.00	
Either of the above plants of 7 to 10 stems	.20	1.50	10.00	
Either of the above plants of 10 stems up	.25	2.00	15.00	**
Phlox pilosa alba, White Prairie Phlox, open sun, May-June	.15 $.15$	1.25 1.00	$\frac{10.00}{6.00}$	Here Nur.
Physostegia virginiana, False Dragon Head, sun-sod, pink, June-Aug	.15	.75	5.00	Here
Physostegia virginiana alba, White False Dragon Head, sun-sod, white, May-June	.15	.80	7.00	Nur.
Podophyllum peltatum, May Apple, Mandrake, open shade, white, May-June	.15	.60	4.00	Here
Polemonium reptans, Greek Vararian, rich shade, blue, May	.15	.60	5.00	\mathbf{H} ere
Polygonatum biflorum, Solomon's Seal, shade, green-white, May	.15	.65	5.00	Here
Polygonatum commutatum, Giant Solomon's Seal, shade, green-white, May	.20	1.00	8.00	Here
Pyrola elliptica, Shinleaf, dry shade, green-white, May	.15	.75	6.00	Ind. H&M
Ranunculus acris, Common Buttercup, bordered, sun, yellow, May	.10	.60 .60	$\frac{4.50}{4.50}$	H&M
Rudbeckia laciniata, Wild Golden Glow, open shade, yellow, July-Aug	.15	.60	5.00	Here
Ruellia pendunculata, Stalked Ruella, open sods, light purple, June-Aug.	.15	.75	6.00	\mathbf{Here}

Botanical name Common name Where it Color of Time of Grows Flower Bloom	Each	10	100	Where Native
Sanguinaria canadensis, Blood root, deep shade, white, April-May	.10	.50	4.00	Here
Saponaria officinalis, Bouncing Bet, anywhere, pink, June-Oct	.10	.50	4.00	$_{ m Here}$
Sarracenia purpurea, Pitcher Plant, bogs, purple, June	.15	.75	5.50	Mich
Scutellaria galericulata, Scull Cap, wet places, violet-blue, June-Aug	.15	1.00	6.00	\mathbf{Here}
Sedum ternatum, Wild Stone Crop, borders, Aug. Sept.	.10	.60	4.00	Ind.
Senecio aureus, Golden Ragwort, open dry woods, yellow, May-July	.15	.85	6.00	Here
Silene stellata, Stary Campion, shade, white, July	.15	.60	5.00	Here
Silene virginica, Fire Pink, rich shade, bright red, May-June	.15	1.00	7.50	Ind.
Silphium laciniatum, Compass Plant, sun-sods, yellow, July-Aug	.25	2.00	10.00	\mathbf{Here}
Silphium perfoliatum, Indian Cup, rich, damp soil, yellow, July-Sept	.20	1.50	7.50	Here
Silphium terebinthaceum, Prairie Dock, sun, yellow, July Aug	.25	2.00	10.00	Here
Sisyrinchium augustifolium, Blue Eyed Grass, sun-sod, blue, May-June	.15	.60	4.00	\mathbf{Here}
Smilacina racemosa, False Solomon's Seal, open woods, white, May-July Smilacina stellata, Star Flowered Solomon's Seal, moist shade, white,	.15	.60	4.50	Here
June-July	.15	.75	5.00	Ind.
Solidago, Golden Rod, assorted, open sun, yellow, AugOct	.15	.75	5.00	HM&I
Solidago canadensis, Canadian Golden Rod, open sun, Aug. Oct	.20	1.00	6.00	-HM&I
Spiranthes cernua, Lady's Tresses, swamps, white, AugOct	.15	1.00	7.50	Mich.
Stylophorum diphyllum, Yellow Poppy, Calendine, rich open woods,			# 0 00	
Yellow, Ma. Sept., singles	.20	1.50	10.00	Ind.
Symplocurpus foetidus, Skunk Cabbage, bogs, yellow, Feb. March	.25	2.00		Here
Tanacetum vulgare. Tansey, anywhere, yellow, June	.15	.60	4.00	Here
Thalictrum polygamum, Tall Meadow Rue, open shade, white, June-July	.15	.60	4.00	Here
Tradescantia bracteata, Dwarf Pink Spiderwort, shade-singles	.15	1.00		Here
Tradescantia pilosa, Zig Zag Spiderwort, dry. open shade, lilac-blue, June-September, Singles	.15	.60	4.00	Here
Tradescantia virginiana Spiderwort, sun or woods, purplish, May August, Single	.10	.60	3.00	Here
Small clumps	.15	1.00	6.00	Here
Tradescantia virginiana alba, White Spiderwort, anywhere, May-Aug	.20	1.50	12.50	NY
Tradescantia virginiana nina, Dwarf Blue Spierwort, anywhere,				
April-July, Singles	.10	.65	4.50	Here
Small Clumps	.15	1.25	7.50	$_{ m Here}$
Trientalis americana, Star Flower, woods, white, May	.15	.75	5.00	Ind .
Trillium grandiflorium, Large White Trillium, shade. May, XX grade	.15	1.00	6.00	Mich.
Firsts	.10	.75	3.50	Mich.
Seconds	.10	.40	1.50	Mich.
Trillium nivale, Dwarf White Trilliums, deep shade, early April	.10	.60	3.50	Here
Trillium recurvatum, Brown Trillium, open shade, May-June	.10	.50	3.00	Here
Typha latifolia, Cat Tails, swamps, yellow, July-Aug.	.15	.75	6 00	Here
Uvularia perfoliata, Bellwort, rich shade, yellow. May-June	.10	.60	5.00	Here
Verbena hastata, Blue Verbane, moist places, purple, July-Sept	.15	.60	5.00	Here
Verbena stricata, Mullen Leaved V., dry pastures, blue, AugSept	.15	.50	4.00	Here
Vernonia altissima, Tall Iron Weed, open-sun, violet, July-Oct	.20	1.00	5.00	Here
Veronica virginica, Clover's Root, open shade, white, July-Aug	.15	.50	4.00	Here
Viola blanda, White Violet, open shade, May-June	.10	.50	4.00	Ind.
Viola palmata-Palm Leaved Violet, sun-sod, blue, May-June	.10	.60	4.50	Here
Viola papilionacea, Common Blue Violet, open shade, May-June	.10	.40	3.00	$_{ m Here}$
Viola pedata, Bird's Foot Violet, sun-sod, blue, May-June, Singles	.10	.50	4.00	Here
Small Clumps	.15	.75	8.00	Here
Viola pedata bicolor, Two colored Birds Foot Violet, sun, all summer, singles Small Clumps	$.15 \\ .25$	$\frac{1.25}{2.00}$	$10.00 \\ 18.00$	Here Here
Viola pubescens, Common Yellow Violet, open-shade, yellow, May	.10	.50	3.00	Here
F		.50	0.00	

FOR OUR FAMILY CUSTORIES IN WILD PLAINTS.

This is the season of relamation, vacation, picnics and other things to detract attention from the heat, work and other troubles. It is so easy to forget our gardens. To think on y of Spring and Foll as

planting mino.

There are many bulbs that are perfectly dormant, and plant lest at this time of the year. Take, for example, extensia. It ripens in early June. Thru June and July at below a single of and an take July and August Starts its new, fall root provide. Therefore the show that alumdanth in white, tender rootlets. It planted before this is a root provide a last they become as well actablished and bloom just as pergeously the first year as the they had not or been reved. Of course contensal plantered up until the ground choses for Vinter, but do not get as well established the first year. Some of the following list start been follow frowth earlier and others later.

Claytonia, for example, actually makes a growth above the ground in Oct.

Lost of the following atems plant very badly in car'y Spring.

List ready to pla t now.

Allium canadense
Illium tricoccum
Anemonella thalictroides
Canassia quamash
Claytonia virginica
Delphinium tricorne
Dicentra canadensis
Licentra cucullaria
Losecatheon media
Trythronium albidum
Crythronium americanum

Joffersonia dichrita
Nrigia virginica
Hertensia virginica
Oxalis violacea
Sanguinaria canadensis
Tradescantia bracteata
Tradescantia virginica
Tradescantia virginica
Tradescantia virginica
Trillium grandiflerium
Trillium necurvatum
Uvulonia perfoliata

There is another class of plants that take their mid-surmer rest, taking a fall growth in cooler meather, bring the fall rains. This class includes all of the Violets that from in the unadquitegia canadensis and to a less degree most all the Irines. There plant well at this time, wroulding one can live them conditions of reacture and protection from the extreme heat of the number of they get satisficated. The following list may be planted now or in the Fail. Of course this class planted at this time of the year is dangerous, where given the help, mentioned above.

Arany
Ligardopia camulis sin
Coltha pal cimin
Lope and a contrata
Lore orientata

Trady both now and again in late to l.

Phlom diversionta

Il on plantrai a

Phlom palosa alba

Thlom palosa alba

Thlom palosa alba

Thlom palosa

Strlophorum diply them

Tho a litera

Viola palosa

Viola palosa

Viola dista ilcolor

Tho a rule noon

Long de en la effette Thomas Thomas the conner the month of the second o

pomilio de la laboración de la laboración de la laboración de laboración

· ·· : i



Of course other items keep ricening up as the season advances Such as Baneberries, both Cohosho: and many other items thru September- October. Host of them, as Wild Shrubs mature and should be planted in Late Catabar-Hovembor.

We are sending you this circular latter with our latest Wild Plant

Dist to help you, our driends, and corselves.

It helps you by reminding you of the bost time to plant each sort;

getting them out of the way for the request Tail pleating.

It helps us need oly an the same way, archoling us to get the plants out in the best time of the pear, encholing us to serve your wants better. Orders received in the right time leaves our help to get ort bolated orders.

To wish to thenk you for your part, splendid business in bild Flanto and also mant to thank you for your courteous recommending us

to your Friends.

The remain,

Alvara at your service, Hopedale Hurseries, J. W. Gricsener, Prop.

Hopedale, Ill., July, 18th. 1927

: :

FERNS

These may be moved at almost any season but handle best in fall, but well in spring. If moved with tops on, cost of crating will be added.

Botanical name Common name Where it Color of Time of Grows Flower Bloom	Each	10	100	Where Native
Adiantum pedatum, Maiden Hair, banks or flats, Light sods	.10	.50	2.50	Here
Medium sods	.15	.75	4.00	Here
Heavy Sods		1.25	8.00	Here
Aspidium acrostichoides, Christmas (Evergreen), open shade		.50	4.00	H.T&I
Aspidium goldianum, Goldies Fern, rich woods	.25	1.50	12.50	I&Mich.
Aspidium marginale, Evergreen Wood Fern, rich shade	.15	.75	6.003	Iinn&NY
Aspidium spinulosum, Spinulose Wood Fern, (Evergreen) rich shade	.15	.75	6.00	M&Vt.
Aspidium thelypteris, Marsh Fern	.20	1.00	7.50	$_{ m Here}$
Asplenium angustifolium, Narrow Leaved Spleenwort, shade	.15	1.00	7.00	$_{ m Here}$
Asplenium Felix-femina, Lady Fern, open shade		.75	6.50	$_{ m Here}$
Asplenium thelypteroides, Silvery Spleenwort, rich woods	.15	1.00	7.50	Ind.
Botrychium ternatum, Ternate Grape Fern, rather dense shade, rich				
soil, (8-10 deep)		1.50		
Camptosorus rhizophyllus, Walking Fern, dry moss covered shades		1.25	10.00	1&M
These are best lifted in the sheet moss, where they grow and so pl				
Cystopteris bulbifera, Bulbet Bladder Fern, moist flats		.60	4.00	Ind.
Cystopteris fragilis, Fragile Bladder Fern, moist flats	.10	.50	3.50	$_{ m Here}$
Dicksonia punctilobula, Hay Scented Fern, Single Plants	.10	.50	3.50	Tenn.
Sods about 12x12''		5.00	40.00	Vt.
Dryopteris hexagonoptera, Broad Beech Fern, Shade	.10	.60	5.00	$_{ m Here}$
Onoclea sensibilis, Sensitive Fern, flats	.15	.60	5.00	$_{ m Here}$
Onoclea struthiopteris, Ostrich Fern, good foundation Ferns	.20	1.50	9.00	M&NY
Osmunda cinnamomea, Cinnamon Fern, hillsides, open shade		1.25	9.00	T&NC
Osmunda claytoniana, Interrupted Fern, hillsides, open shade	.25	1.50	10.00	NC
Osmunda regalis, Royal Fern, hillsides, open shade	.20	1.25	8.00	T&NC
Pellaea atropurpurea, Purple Cliff Break, limestone cliffs		1.00	8.00	Ind.
Pteris aquilina, Brake. Eagle Fern, stands lots of sun	.15	1.00	7.00	H.I&M
Woodsia obtusa, Blunt Lobed Woodsia	.20	1.00		Ind.
Mixed lots, taller, all to finish 18 in. and up		1.00	6.50	Here
Mixed lots of above to suit our convenience	.10	.75	5.00	H.&Ind.

VINES

See our description catalog and Price List for nursery grown vines, etc.

,	Each	10	100	Where Native
Ampelopsis engelmanii, Clinging American Ivy, Nursery grown, 3 yr. heavy	\$.35	\$3.00		Here
Ampelopsis engelmanii, collected, mixed some with Am. Ivy	.15	1.00	6.00	$_{ m Here}$
Ampelopsis quinquefolia, American Ivy, rooted layers	.10	.50	4.00	$_{ m Here}$
Medium plants	.15	1.25	8.00	$_{ m Here}$
Callirhoe involucrata. Low Poppy Mallow, violet-red, May-Nov	.15	1.00	7.50	$_{ m Here}$
Celastrus scandons, Bitter Sweet, thickets, red berries	.15	1.00	7.00	Here
Clematis viorna, Leather Flower, sun-sod, blue, July-August	.20	1.50	10.00	$_{ m Here}$
Clematis virgiana, Virgin's Bower. border thickets, white, AugSept	.15	1.00	7.00	H.M&I
Convolvulus arvensis, Lesser Binder Weed, sun, pink-purple, July-Sept.	.15	.75	5.00	$_{ m Here}$
Convolvulus, sepium, Great Binder Weed, sun, June-Sept	.15	.75	5.00	Here
Dioscorea villosa, Wild Yam. underbrush, JuneJuly	.15	1.25	9.00	$_{ m Here}$
Euonymus obovatus, Trailing Waahoo, shade	.10	.60	4.00	Ind.
Caultheria precumbens, Spicy Wintergreen, shade, white, July-Clumps	.20	1.50	7.00	M&NC
Humulus lupulus, Hop Vine, anywhere, yellow, July	.15	.75	4.00	$_{ m Here}$
Ipomoea pandurata, "Man of the Earth", river bottoms, purple,				
May-Sept.	.75	5.00	35.00.	$_{ m Here}$
Lonicera dioica, Wild Yellow Honeysuckle, yellow, May-June	.20	1.00	7.00	$_{ m Here}$
Lycium halimifolium, Matrimony Vine, purple, berries orange red. May-Aug.	.15	.75	6.50	$_{ m Here}$
Lysimachia nummularia, Money Wort, Moist places, June-Aug	.10	.60	4.00	$_{ m Here}$
Menispermum canadense, Wild Sarsaparilla, thickets, white, May	,15	1.00	6.00	Here
Mitchella repens, Partridge Berry, shade, white, April-June, clumps	.20	1.25	8.00	$_{ m Here}$
Nepeta hederacea, Ground Ivy, shade, purple, May-June	.10	.50	3.50	Here

	Each	10	100	Where Native
Rhus toxicodendron, Poison Ivy, Poison Sumac, Fence rows & wastes Smilax herbacea, Carrion Flower, moist meadows, border, white,	15	1.00	6.00	Here
black berries		1.00	8.00	Here
Smilax ratundifolia, Cat Brier, moist thickets, blue berries Tecoma radicans, Trumpet Creeper, anywhere, orange-scarlet, all summer		$\frac{1.00}{1.00}$	7.50 6.00	Here Here
Vitis, Wild Grape, mixed seedlings, anywhere, yellow, May (Frag.)		.75	5.00	$_{ m Here}$
Vinca minor, Ground Myrtle, anywhere, blue, May-June	15	.60	3.50	H.M&I
Vincetoxicum gonocarpos, climbing Milkweed, open river bottom,				
pink, JulAug.	25	2.00	15.00	\mathbf{Here}

SHRUBS

We are now required to have all collected Shrubs and Vines with woody tops, inspected, like nursery grown stock. This means that we must either get a large lot stored here, and have an inspector come to look it over, or send less lots to Urbana, Ill., to be inspected, and sent on to customers directly from there. Otherwise the cost would be so great that we would be forced to abandon getting out this line. We state this, that you will not be impatient at the stock's not arriving as promptly as expected. Perennials do not require this inspection, in this state. They DO require it in Mich., but we think we have it arranged to reduce the delay to a minimum. Ind., shrubs must be inspected before leaving that state. It is a NEW TROUBLE, but it will likely get so systemized soon as to cause little delay.

Benzoin aestivale, Spice Bush, red berries, 1 to 2 ft	\$.10	\$.80	\$7.00	H&Ind.
2 to 3 ft		1.25	10.00	H&Ind.
Ceanothus americanus, New Jersey Tea, white, July, 10 to 20 in. Cl	.15	1.00	7.00	$_{ m Here}$
Cercis canadensis, Red Bud, red, May, 2 to 3 ft.	.20	1.50	10.00	H&T
Cornus florida, White Flowering Dogwood, white, June-July, 2 to 3 ft	.10	.65	5.00	Tenn.
2 to 3 ft	.15	1.00	8.00	NY
Cornus paniculata, Brown Dogwood, white, June-July, 2 to 3 ft	.15	1.00	7.50	Here
Cornus stolonifera, Red Oiser Dogwood, succors, white, May-Aug., 18-36 in.	.15	.65	5.00	Mich.
Corylus americana, Hazel Nut, succors 2 to 3 ft	.15	.75	5.00	Here
3 to 4 ft., whole clumps	.25	1.50	12.50	Here
Crataegus, mixed seedlings, white, May, 2 to 3 ft.	.15	1.00	7.00	$_{ m Here}$
Diervilla trifida, Wild Weigelia, pale yellow, May-Sept. 6 to 18 in	.15	1.00	6.50	NY.
Evonymus americanus, Waahoo, purple, June, 2 to 3 ft	.15	.75	5.00	Tenn.
Evonymus atropurpureus, Waahoo, purple, June, 2 to 3 ft	.15	1.00	7.00	Here
Hydrangea arborescens, Wild Hydrangea, white, June-July, succors	.15	.75	5.00	Here
Clumps	.25	1.50	10.00	Here
Malus, coronaria, Wild Crab, pink, May, succors, 2 to 4 ft	.15	.80	7.00	Here
Can do much better crabs in nursery grown grafts.				
Prunus americana, Wild Plum, April-May, white 1 to 2 ft	.15	1.00	7.50	Here
Ptelea trifolia, Wafer Ash, 5 to 7 ft. Tr.	.50	4.00	35.00	Here
Rhus copallina, Dwarf, green, Aug. 1 to 2 ft.	.15	.75	5.00	Tenn.
Rhus glabra, Smooth Sumac, anywhere, white, July, 2 to 3 ft.		.50	4.00	Here
Rhus typhina, Staghorn Sumac, anywhere, white, July, 2 to 3 ft	.15	.75	6.00	NY&T
Ribes, Wild Gooseberry, open woods	.15	.75	6.00	Here
Rosa blanda, Smooth Wild Rose, Pink, June-July, anywhere	.10	.75	5.00	H&Mich.
Rosa carolina, Swamp Rose, pink, moist shade, June-Aug.	.15	1.00	7.50	Here
Rosa humilis, Dwarf Prairie Rose, pink, June-Sept., sun-sod	.15	1.00	5.00	Here
Rosa lucida, Thorny, Wild Rose, pink, anywhere, June-July	.15	.75	5.00	Mich.
Rosa nitida, Dwarf Rose, pink, May-July	.15	.75	5.00	$_{ m Here}$
Rosa setigera, Prairie Climbing Rose, pink, open border, June-July	.20	1.50	8.00	Here
Rubus, Wild Blackberry, sun or open shade	.10	.50	3.00	Here
Rubus, Wild Raspberry (black), sun, or open shade	.10	.50	3.00	Here
Rubus, Wild Dewberry, open sun	.10	.50	4.00	Here
Rubus odoratus, Flowering Raspberry, violet, June-Sept. 1 to 3 ft	.15	.80	6.00	NY.
Salix discolor, Pussy Willow, Nursery grown, 2 to 4 ft.	.15	1.75	12.50	Here
Sambucus canadensis, Black Berried Elder, white, June-July 2-4 ft	.10	.50	3.00	Here
Sassafras variifolium, Sassafras (hard to transplant)	.15	1.00	7.50	Here
Staphylea trifolia, Bladder Nut, yellow, June, 2 to 4 ft	.15	.75	5.00	Here
Symphoricarpos vulgaris, Indian Currant, 15 to 30 in	.15	.60	4.50	Here
Viburnum acerifolium, Maple Leaved Arrow Wood, white, May, 1 to 3 ft.	.15	.75	5.00	T&NY
Viburnum prunifolium, Black Haw, white, May, 2 to 3 ft.	.15	1.00	6.00	Here
Zanthoxylum americanum, Prickly Ash, open shade, yellow, red berries,				
May, 2 to 3 ft.	.15	1.00	7.00	$_{ m Here}$